



Perio Mate Powder

Perio Mate Powder is a prophylactic powder for removal of sub- and supragingival accretions/deposits. When applied subgingivally, it may be used as an adjunct to support periodontitis and peri-implantitis therapy. Perio Mate Powder is intended for use in NSK tooth surface cleaning device. The teeth are gently cleaned by Perio Mate Powder, making subsequent polishing unnecessary.

Markets: North America
Removal of supragingival/subgingival soft deposits and soft deposits on prostheses (including implant dentures).

Markets: North America
Removal of supragingival/subgingival soft deposits and soft deposits on prostheses (including implant dentures).

Use:
Dentist, dental hygienist

Age of patients
Adult North America / For ages 2 and up

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CE mark

MADE IN GERMANY

Operation Manual

CAUTION

Instructions to patients

Please inform your patient that eating or drinking (tea, coffee, or food) within 2 to 3 hours after treatment can cause staining of the teeth.

Use:

Follow the instructions in the Operation Manual for NSK tooth surface cleaning device. Use Perio Mate Powder in accordance with its intended purpose.

Always use a suction device during treatment.

Avoid prolonged continuous use, and allow the patient to rinse at appropriate times. Do not put Perio Mate Powder back into the bottle after it has been removed from the bottle. Do not mix Perio Mate Powder with new powder. Otherwise, it may cause clogging of the cleaning device.

Be careful not to splash water on Perio Mate Powder. Otherwise, it may become solid and unusable.

Spread petroleum jelly on the corners of the patient's mouth to avoid drying and cracking. Place a saliva ejector in the corner of the patient's mouth so that the area under the tongue is suctioned clean. To suction the water/powder mixture effectively by the teeth, use a large suction cannula.

Power:

Shake the bottle of Perio Mate Powder before filling it into NSK tooth surface cleaning device. Be sure to tighten the cap when shaking the bottle of Perio Mate Powder.

Fill Perio Mate Powder slowly into NSK tooth surface cleaning device in order to avoid dust. It is recommended to do it in a separate treatment room.

Snap the stop of the bottle of Perio Mate Powder upward, or unscrew the cap completely.

If Perio Mate Powder is scattered on the floor, it is recommended to clean it up immediately because it will become slippery.

Be sure to completely tighten the cap of the bottle of Perio Mate Powder. Failure to do so may result in Perio Mate Powder absorbing moisture that cannot be removed from the bottle.

Reprocessing:

Remove the residue of Perio Mate Powder from NSK tooth surface cleaning device.

Perform reprocessing of NSK tooth surface cleaning device according to the Operation Manual.

Storage and stability

Always keep Perio Mate Powder in its original bottle, properly closed, dry and clean. Do not use after the expiration date.

Maintenance of pipes

Appropriate cleaning and maintenance of the vacuum hose, saliva ejector, separator, etc. is required to prevent clogging of pipes.

Operation Procedure

For the operation procedure, refer to the Operation Manual of NSK tooth surface cleaning device.

Use, Storage and Transportation Environment

CAUTION

Please do not repackage Perio Mate Powder in any container other than its original bottle. It could solidify and become unusable.

Please store Perio Mate Powder away from direct sunlight, under the environmental conditions defined below.

CAUTION

Please do not repackage Perio Mate Powder in any container other than its original bottle. It could solidify and become unusable.

Please store Perio Mate Powder away from direct sunlight, under the environmental conditions defined below.

CAUTION

Please do not repackage Perio Mate Powder in any container other than its original bottle. It could solidify and become unusable.

Please store Perio Mate Powder away from direct sunlight, under the environmental conditions defined below.

CAUTION

Please do not repackage Perio Mate Powder in any container other than its original bottle. It could solidify and become unusable.

Please store Perio Mate Powder away from direct sunlight, under the environmental conditions defined below.

CAUTION

Please do not repackage Perio Mate Powder in any container other than its original bottle. It could solidify and become unusable.

Please store Perio Mate Powder away from direct sunlight, under the environmental conditions defined below.

CAUTION

Please do not repackage Perio Mate Powder in any container other than its original bottle. It could solidify and become unusable.

Please store Perio Mate Powder away from direct sunlight, under the environmental conditions defined below.

CAUTION

Please do not repackage Perio Mate Powder in any container other than its original bottle. It could solidify and become unusable.

Please store Perio Mate Powder away from direct sunlight, under the environmental conditions defined below.

CAUTION

Please do not repackage Perio Mate Powder in any container other than its original bottle. It could solidify and become unusable.

Please store Perio Mate Powder away from direct sunlight, under the environmental conditions defined below.

CAUTION

Please do not repackage Perio Mate Powder in any container other than its original bottle. It could solidify and become unusable.

Please store Perio Mate Powder away from direct sunlight, under the environmental conditions defined below.

CAUTION

Please do not repackage Perio Mate Powder in any container other than its original bottle. It could solidify and become unusable.

Please store Perio Mate Powder away from direct sunlight, under the environmental conditions defined below.

CAUTION

Please do not repackage Perio Mate Powder in any container other than its original bottle. It could solidify and become unusable.

Please store Perio Mate Powder away from direct sunlight, under the environmental conditions defined below.

CAUTION

Please do not repackage Perio Mate Powder in any container other than its original bottle. It could solidify and become unusable.

Please store Perio Mate Powder away from direct sunlight, under the environmental conditions defined below.

CAUTION

Please do not repackage Perio Mate Powder in any container other than its original bottle. It could solidify and become unusable.

Please store Perio Mate Powder away from direct sunlight, under the environmental conditions defined below.

CAUTION

Please do not repackage Perio Mate Powder in any container other than its original bottle. It could solidify and become unusable.

Please store Perio Mate Powder away from direct sunlight, under the environmental conditions defined below.

CAUTION

Please do not repackage Perio Mate Powder in any container other than its original bottle. It could solidify and become unusable.

Please store Perio Mate Powder away from direct sunlight, under the environmental conditions defined below.

CAUTION

Please do not repackage Perio Mate Powder in any container other than its original bottle. It could solidify and become unusable.

Please store Perio Mate Powder away from direct sunlight, under the environmental conditions defined below.

CAUTION

Please do not repackage Perio Mate Powder in any container other than its original bottle. It could solidify and become unusable.

Please store Perio Mate Powder away from direct sunlight, under the environmental conditions defined below.

CAUTION

Please do not repackage Perio Mate Powder in any container other than its original bottle. It could solidify and become unusable.

Please store Perio Mate Powder away from direct sunlight, under the environmental conditions defined below.

CAUTION

Please do not repackage Perio Mate Powder in any container other than its original bottle. It could solidify and become unusable.

Please store Perio Mate Powder away from direct sunlight, under the environmental conditions defined below.

CAUTION

Please do not repackage Perio Mate Powder in any container other than its original bottle. It could solidify and become unusable.

Please store Perio Mate Powder away from direct sunlight, under the environmental conditions defined below.

CAUTION

Please do not repackage Perio Mate Powder in any container other than its original bottle. It could solidify and become unusable.

Please store Perio Mate Powder away from direct sunlight, under the environmental conditions defined below.

CAUTION

Please do not repackage Perio Mate Powder in any container other than its original bottle. It could solidify and become unusable.

KONTRAINDIKATIONEN

Verwenden Sie Perio Mate Powder nicht bei den nachfolgend aufgeführten Patienten. Beim Einsatz in den Parodontaltaschen dieser Patienten kann das Produkt die Entwicklung von Bakterien verursachen.

Patienten mit endokardialen Entzündungen

Schwangerschaft und stillenden Patientinnen

Patienten mit ansteckenden Krankheiten

Patienten mit Immunschwächeerkrankheiten (Neutropenie, Granulozytopenie, Agranulozytose, Diabetes, Bluterkrankheit)

Patienten, die bei Bestrahlung, Chemotherapie oder Antibiotika behandelt werden

WARNUNG

Beachten Sie bei der Verwendung des NSK-Zahnoberflächenreinigungsgärts die folgenden Hinweise, um Anwerter, Assistenten und Patienten vor diesem Produkt zu schützen:

Benutzer und Assistenten

Wenden Sie Perio Mate Powder nicht bei folgenden Patienten:

Die verschluckte Spülluft des Pulvers in die Augen kann zu schweren Augenverletzungen führen. Wenn dieses Produkt in die Augen gelangt, die Augen sofort mit viel Wasser ausspülen und einen Augenarzt aufsuchen.

Bei der Behandlung vieler Parodontaltaschen kann eine Bakteriämie auftreten. Bitte beachten Sie, dass dies ein Risiko darstellt, wenn die Behandlung von Risikopatienten (allgemeine Immunschwäche).

Obwohl schwerwiegende Zwischenfälle, die im Zusammenhang mit Perio Mate Powder aufgetreten ist, selten das Risiko einer Bakteriämie darstellen, ist es dennoch notwendig, die folgenden Punkte zu beachten:

VORSICHT

Verwenden Sie Perio Mate Powder nicht bei den nachfolgend aufgeführten Patienten. Beim Einsatz in den Parodontaltaschen dieser Patienten kann das Produkt die Entwicklung von Bakterien verursachen.

Patienten mit endokardialen Entzündungen

Schwangerschaft und stillenden Patientinnen

Patienten mit ansteckenden Krankheiten

Patienten mit Immunschwächeerkrankheiten (Neutropenie, Granulozytopenie, Agranulozytose, Diabetes, Bluterkrankheit)

Patienten, die bei Bestrahlung, Chemotherapie oder Antibiotika behandelt werden

WARNUNG

Beachten Sie bei der Verwendung des NSK-Zahnoberflächenreinigungsgärts die folgenden Hinweise, um Anwerter, Assistenten und Patienten vor diesem Produkt zu schützen:

Benutzer und Assistenten

Wenden Sie Perio Mate Powder nicht bei folgenden Patienten:

Die verschluckte Spülluft des Pulvers in die Augen kann zu schweren Augenverletzungen führen. Wenn dieses Produkt in die Augen gelangt, die Augen sofort mit viel Wasser ausspülen und einen Augenarzt aufsuchen.

Bei der Behandlung vieler Parodontaltaschen kann eine Bakteriämie auftreten. Bitte beachten Sie, dass dies ein Risiko darstellt, wenn die Behandlung von Risikopatienten (allgemeine Immunschwäche).

Obwohl schwerwiegende Zwischenfälle, die im Zusammenhang mit Perio Mate Powder aufgetreten ist, selten das Risiko einer Bakteriämie darstellen, ist es dennoch notwendig, die folgenden Punkte zu beachten:

VORSICHT

Verwenden Sie Perio Mate Powder nicht bei den nachfolgend aufgeführten Patienten. Beim Einsatz in den Parodontaltaschen dieser Patienten kann das Produkt die Entwicklung von Bakterien verursachen.

Patienten mit endokardialen Entzündungen

Schwangerschaft und stillenden Patientinnen

Patienten mit ansteckenden Krankheiten

Patienten mit Immunschwächeerkrankheiten (Neutropenie, Granulozytopenie, Agranulozytose, Diabetes, Bluterkrankheit)

Patienten, die bei Bestrahlung, Chemotherapie oder Antibiotika behandelt werden

WARNUNG

Beachten Sie bei der Verwendung des NSK-Zahnoberflächenreinigungsgärts die folgenden Hinweise, um Anwerter, Assistenten und Patienten vor diesem Produkt zu schützen:

Benutzer und Assistenten

Wenden Sie Perio Mate Powder nicht bei folgenden Patienten:

Die verschluckte Spülluft des Pulvers in die Augen kann zu schweren Augenverletzungen führen. Wenn dieses Produkt in die Augen gelangt, die Augen sofort mit viel Wasser ausspülen und einen Augenarzt aufsuchen.

Bei der Behandlung vieler Parodontaltaschen kann eine Bakteriämie auftreten. Bitte beachten Sie, dass dies ein Risiko darstellt, wenn die Behandlung von Risikopatienten (allgemeine Immunschwäche).

Obwohl schwerwiegende Zwischenfälle, die im Zusammenhang mit Perio Mate Powder aufgetreten ist, selten das Risiko einer Bakteriämie darstellen, ist es dennoch notwendig, die folgenden Punkte zu beachten:

VORSICHT

Verwenden Sie Perio Mate Powder nicht bei den nachfolgend aufgeführten Patienten. Beim Einsatz in den Parodontaltaschen dieser Patienten kann das Produkt die Entwicklung von Bakterien verursachen.

Patienten mit endokardialen Entzündungen

Schwangerschaft und stillenden Patientinnen

Patienten mit ansteckenden Krankheiten

Patienten mit Immunschwächeerkrankheiten (Neutropenie, Granulozytopenie, Agranulozytose, Diabetes, Bluterkrankheit)

Patienten, die bei Bestrahlung, Chemotherapie oder Antibiotika behandelt werden

WARNUNG

Beachten Sie bei der Verwendung des NSK-Zahnoberflächenreinigungsgärts die folgenden Hinweise, um Anwerter, Assistenten und Patienten vor diesem Produkt zu schützen:

Benutzer und Assistenten

Wenden Sie Perio Mate Powder nicht bei folgenden Patienten:

Die verschluckte Spülluft des Pulvers in die Augen kann zu schweren Augenverletzungen führen. Wenn dieses Produkt in die Augen gelangt, die Augen sofort mit viel Wasser ausspülen und einen Augenarzt aufsuchen.

Bei der Behandlung vieler Parodontaltaschen kann eine Bakteriämie auftreten. Bitte beachten Sie, dass dies ein Risiko darstellt, wenn die Behandlung von Risikopatienten (allgemeine Immunschwäche).

Obwohl schwerwiegende Zwischenfälle, die im Zusammenhang mit Perio Mate Powder aufgetreten ist, selten das Risiko einer Bakteriämie darstellen, ist es dennoch notwendig, die folgenden Punkte zu beachten:

VORSICHT

Verwenden Sie Perio Mate Powder nicht bei den nachfolgend aufgeführten Patienten. Beim Einsatz in den Parodontaltaschen dieser Patienten kann das Produkt die Entwicklung von Bakterien verursachen.

Patienten mit endokardialen Entzündungen

Schwangerschaft und stillenden Patientinnen

Patienten mit ansteckenden Krankheiten

Patienten mit Immunschwächeerkrankheiten (Neutropenie, Granulozytopenie, Agranulozytose, Diabetes, Bluterkrankheit)

Patienten, die bei Bestrahlung, Chemotherapie oder Antibiotika behandelt werden

WARNUNG

Beachten Sie bei der Verwendung des NSK-Zahnoberflächenreinigungsgärts die folgenden Hinweise, um Anwerter, Assistenten und Patienten vor diesem Produkt zu schützen:

Benutzer und Assistenten

Wenden Sie Perio Mate Powder nicht bei folgenden Patienten:

Die verschluckte Spülluft des Pulvers in die Augen kann zu schweren Augenverletzungen führen. Wenn dieses Produkt in die Augen gelangt, die Augen sofort mit viel Wasser ausspülen und einen Augenarzt aufsuchen.

Bei der Behandlung vieler Parodontaltaschen kann eine Bakteriämie auftreten. Bitte beachten Sie, dass dies ein Risiko darstellt, wenn die Behandlung von Risikopatienten (allgemeine Immunschwäche).

Obwohl schwerwiegende Zwischenfälle, die im Zusammenhang mit Perio Mate Powder aufgetreten ist, selten das Risiko einer Bakteriämie darstellen, ist es dennoch notwendig, die folgenden Punkte zu beachten:

VORSICHT

Verwenden Sie Perio Mate Powder nicht bei den nachfolgend aufgeführten Patienten. Beim Einsatz in den Parodontaltaschen dieser Patienten kann das Produkt die Entwicklung von Bakterien verursachen.

Patienten mit endokardialen Entzündungen

Schwangerschaft und stillenden

